

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S86	3911	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with (n\$3ack or (negative \$3acknowledgement) or ack or acknowledgement) with error	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/21 11:07
S87	2740	S86 and ("370"/\$.ccls. or "714"/\$.ccls. or "455"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/21 11:11
S88	941	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) and (ack or acknowledgement)) with error	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/21 11:45
S89	778	S88 and ("370"/\$.ccls. or "714"/\$.ccls. or "455"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/21 11:46
S90	158	S89 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/21 11:49
S91	312	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) and (ack or acknowledgement)) with error and ((suspend\$5 or halt \$3 or stop\$4 or resum\$3 or control) with (transmission) same ((n\$3ack or (negative \$3acknowledgement)) and (ack or acknowledgement)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/22 08:28
S92	280	S91 and ("370"/\$.ccls. or "714"/\$.ccls. or "455"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/22 08:28
S93	36	S92 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/22 08:29

S94	886	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) and (ack or acknowledgement)) with error and (bs or bss or bts or (base adj3 station) or (access adj2 point) or ap)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/22 08:50
S95	757	S94 and ("370"/\$.ccls. or "714"/\$.ccls. or "455"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/22 08:50
S96	142	S95 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/22 08:50
S97	709	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) and (ack or acknowledgement)) with error and (bs or bss or bts or (base adj3 station) or (access adj2 point) or ap) same ((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/22 08:51
S98	0	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) and (ack or acknowledgement)) with error and (bs or bss or bts or (base adj3 station) or (access adj2 point) or ap) wirh ((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/22 08:52
S99	660	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) and (ack or acknowledgement)) with error and (bs or bss or bts or (base adj3 station) or (access adj2 point) or ap) with ((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/22 08:52
S100	119	S99 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/22 08:52

S101	413	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) and (ack or acknowledgement)) with error and (bs or bss or bts or (base adj3 station) or (access adj2 point) or ap) with ((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) same (suspend\$5 or halt\$3 or stop\$4 or resum\$3 or control)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/22 09:09
S102	56	S101 and (@riad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/22 09:10
S103	2	"7295624".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 09:30
S104	6	("5729541" "6101168" "6144711").PN. OR ("7295624").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/09/24 09:31
S105	277	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) and (ack or acknowledgement)) with error and (new or next) with ((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) same (suspend\$5 or halt\$3 or stop\$4 or resum\$3 or control)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 09:33
S106	60	S105 and (@riad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 09:34
S107	74	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) and (ack or acknowledgement)) with error same (new or next) same (suspend\$5 or halt\$3 or stop\$4 or resum\$3 or control)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 10:09
S108	60	S106 and (@riad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 10:10

S109	66	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) with error same (suspend\$5 or halt\$3 or stop\$4 or resum\$3 or hold\$3 or start\$3 or re\$2start \$3) with (transmi\$7 or send\$3 or sent)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 10:22
S110	19	S109 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 10:23
S111	65	((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) with error same (suspend\$5 or halt\$3 or stop\$4 or hold\$3) and (resum\$3 or start\$3 or re\$2start \$3) with (transmi\$7 or send\$3 or sent)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 10:29
S112	25	S111 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 10:29
S113	8	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) with error and ((suspend\$5 or halt\$3 or stop\$4 or hold\$3) and (resum\$3 or start\$3 or re\$2start \$3) near4 (transmi\$7 or re \$3transmi\$7)) same quality	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 10:34
S114	1	S113 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 10:35
S115	140	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) with error and ((suspend\$5 or halt\$3 or stop\$4 or hold\$3) and (resum\$3 or start\$3 or re\$2start \$3) near4 (transmi\$7 or re \$3transmi\$7))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 10:35

S116	30	S115 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 10:35
S117	85	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) with error and ((suspend\$5 or halt\$3 or stop\$4 or hold\$3) and (resum\$3 or start\$3 or re\$2start \$3)) near4 (transmi\$7 or re \$3transmi\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 10:37
S118	19	S117 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 10:37
S119	8	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) with error and ((suspend\$5 or halt\$3 or stop\$4 or hold\$3) and (resum\$3 or start\$3 or re\$2start \$3) near4 (transmi\$7 or re \$3transmi\$7)) same quality	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 11:22
S120	97	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) with error same quality	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 11:24
S121	13	S120 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 11:24
S122	48	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) with ((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) with error and ((channel near3 quality) or (quality adj2 service) or qos) with threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 11:36
S123	13	S122 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 11:36

S124	4	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) same ((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) with error same ((suspend\$5 or halt\$3 or stop\$4 or hold\$3) and (resum\$3 or start\$3 or re\$2start \$3)) near4 (transmi\$7 or re \$3transmi\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 16:45
S125	10	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) same ((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) with error same ((suspend\$5 or halt\$3 or stop\$4 or hold\$3) and (resum\$3 or start\$3 or re\$2start \$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 16:46
S126	62	((transmi\$7 or send\$3 or sent) and (receiv\$3 or reception)) same ((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) same error same ((suspend\$5 or halt\$3 or stop\$4 or hold\$3) and (resum\$3 or start\$3 or re \$2start\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 16:50
S127	33	S126 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 16:51
S128	1	("6996763").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/09/24 16:55
S129	0	((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) same error same ((suspend\$5 or halt\$3 or stop\$4 or hold\$3) near3 (transmi\$7 or re\$2transmi \$7) near3 (resum\$3 or start\$3 or re\$2start\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 16:57
S130	17	((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) same error same ((suspend\$5 or halt\$3 or stop\$4 or hold\$3) with (transmi\$7 or re\$2transmi \$7) with (resum\$3 or start\$3 or re\$2start\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 16:59

S131	11	S130 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 16:59
S132	1	((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) with error same ((channel near3 quality) or (quality adj2 service) or qos) with threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 17:04
S133	3	((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) with error same ((channel near3 quality) or (quality adj2 service) or qos) same threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 17:04
S134	125	((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) with error same ((channel near3 quality) or (quality adj2 service) or qos)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 17:05
S135	12	S134 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 17:05
S136	1	("20020027882").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/09/24 17:08
S137	229	((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) same error same ((channel near3 quality) or (quality adj2 service) or qos)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 17:12
S138	32	S137 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/24 17:13
S139	313	((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) same ((channel near3 quality) or (quality adj2 service) or qos) and ((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) with error	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/25 11:14

S140	32	S139 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/25 11:15
S141	61	((n\$3ack or (negative \$3acknowledgement)) same (ack or acknowledgement)) same ((channel near3 quality) or (quality adj2 service) or qos) same (threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/25 12:07
S142	8	S141 and (@rlad<"20020812" or @ad<"20020812")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/25 12:07

9/ 25/ 2010 2:22:41 PM

C:\ Documents and Settings\ Imiah\ My Documents\ EAST\ Workspaces\ 10520787_2nd.wsp